

SAFETY & SECURITY FILMS

	% Visible Light Transmission	% Total Solar Transmittance	% Total Solar Reflectance	% Total Solar Absorbance	% Visible Light Reflectance INT/EXT	Winter U-Value	% UV Rejected	% Glare Reduction	Shading Coefficient	% Solar Heat Gain Coefficient (SHGC)	% Total Solar Energy Rejected (TSER)
Clear Series											
2M	89	83	8	9	9/9	1.07	93	1	0.98	0.86	14
4M	89	83	8	9	9/9	1.06	93	1	0.98	0.85	15
7M	89	82	8	10	9/9	1.06	92	1	0.98	0.85	15
8M	88	82	9	9	10/10	1.07	97	2	0.97	0.84	16
11M	88	81	9	10	10/10	1.06	96	3	0.96	0.84	16
Ultra-Vision™ Series (Spectrally Selective, Neutral)											
8.5MULV40	41	30	10	60	9/11	1.05	98	54	0.56	0.48	52
Symphony™ Series (Dual-Reflective, Neutral)											
4MSY65	66	63	8	29	9/9	1.07	97	27	0.83	0.72	28
4MSY35	40	33	21	46	12/20	1.02	97	55	0.54	0.47	53
6MSY35	40	33	18	49	17/17	1.05	97	56	0.56	0.48	52
6MSY25	33	26	30	44	18/30	1.00	99	63	0.45	0.39	61
8.5MSY50	49	44	11	45	9/12	1.05	98	46	0.66	0.58	42
8.5MSY35	37	31	21	48	13/21	1.01	96	59	0.52	0.45	55
8.5MSY25	31	24	30	46	18/30	1.00	97	66	0.43	0.38	62
Silver Series (Reflective, Silver)											
4MSilver20	13	10	58	32	67/63	1.01	98	85	0.22	0.19	81
8MSilver20	17	13	55	32	62/59	1.04	98	81	0.26	0.23	77
Anti-Graffiti Series											
4M Anti-Graffiti	89	83	9	8	10/10	1.04	89	1	0.98	0.85	15
6M Anti-Graffiti	89	82	9	9	10/10	1.04	90	1	0.98	0.85	15